

Parts for

DETROIT DIESEL®





Address: Ground Floor TOPY's Place #3 Calle Industria corner Economia Street,

Bagumbayan, Quezon City, Philippines 1110 Tel. No.: (+632) 8584-9281 | Fax No.: (+632) 8571-2475

Mobile : (+63) 998-5848819

Workshop: C3 Road corner Torsillo Street, Dagat-Dagatan, Caloocan City

For more information, visit www.jefra.com.ph

IN-FRAME KITS

DESCRIPTION	3	4	6 V	CYL KIT
Trunk / Natural / 21:1 / N&C Injector	1			A-5198899
Trunk / Natural / 17:1 / S Injector	1			A-5198903
Trunk / Turbocharged / 18.7:1 / 1.5" Pin Diameter	1			A-5149734
Crosshead / Turbocharged / 18:1 / .74" Port Height	1			A-23503810
Crosshead / Turbocharged / 18:1 / .84" Port Height	1			A-23503811
Trunk / Natural / 21:1 / N&C Injector		1		A-5198899
Trunk / Natural / 17:1 / S Injector		1		A-5198903
Trunk / Turbocharged / 18.7:1 / 1.5" Pin Diameter		1		A-5149734
Crosshead / Turbocharged / 18:1 / .74" Port Height		1		A-23503810
Crosshead / Turbocharged / 18:1 / .84" Port Height		1		A-23503811
Trunk / Natural / 21:1 / N&C Injector			1	A-5198899
Trunk / Natural / 17:1 / S Injector			1	A-5198903
Trunk / Turbocharged / 18.7:1 / 1.5" Pin Diameter			1	A-5149734
Crosshead / Turbocharged / 18:1 / .74" Port Height			1	A-23503810
Crosshead / Turbocharged / 18:1 / .84" Port Height			1	A-23503811

OVERHAUL KITS ____

DESCRIPTION	3	4	6V	CYL KIT
Trunk / Natural / 21:1 / N&C Injector	1			A-5198899
Trunk / Natural / 17:1 / S Injector	1			A-5198903
Trunk / Turbocharged / 18.7:1 / 1.5" Pin Diameter	1			A-5149734
Crosshead / Turbocharged / 18:1 / .74" Port Height	1			A-23503810
Crosshead / Turbocharged / 18:1 / .84" Port Height	1			A-23503811
Trunk / Natural / 21:1 / N&C Injector		1		A-5198899
Trunk / Natural / 17:1 / S Injector		1		A-5198903
Trunk / Turbocharged / 18.7:1 / 1.5" Pin Diameter		1		A-5149734
Crosshead / Turbocharged / 18:1 / .74" Port Height		1		A-23503810
Crosshead / Turbocharged / 18:1 / .84" Port Height		1		A-23503811
Trunk / Natural / 21:1 / N&C Injector			1	A-5198899
Trunk / Turbocharged / 18.7:1 / 1.5" Pin Diameter			1	A-5149734
Crosshead / Turbocharged / 18:1 / .74" Port Height			1	A-23503810
Crosshead / Turbocharged / 18:1 / .84" Port Height			1	A-23503811
·				

ENGINE BEARINGS -

3	4	6 V	DESCRIPTION	DN .	NOTE
3	4		Connecting Rod Bearing	STD	
3	4		Connecting Rod Bearing	.010"	
3	4		Connecting Rod Bearing	.020"	
3	4		Connecting Rod Bearing	.030"	
			Connecting floa Bearing	.000	
		6	Connecting Rod Bearing	STD	
		6	Connecting Rod Bearing	.010"	
		6	Connecting Rod Bearing	.020"	
		6	Connecting Rod Bearing	.030"	
			1		
4	5		Main Bearing	STD	Non-turbo / non-slotted
4	5		Main Bearing	.010"	Non-turbo / non-slotted
4	5		Main Bearing	.020"	Non-turbo / non-slotted
4	5		Main Bearing	.030"	Non-turbo / non-slotted
4	5		Main Bearing	STD	Turbocharged / slotted
4	5		Main Bearing	.010"	Turbocharged / slotted
4	5		Main Bearing	.020"	Turbocharged / slotted
4	5		Main Bearing	.030"	Turbocharged / slotted
		4	Main Bearing	STD	Thru S/N 6D11073 on marine models &
		4	Main Bearing	.010"	Thru S/N 6D17959 on all others
		4	Main Bearing	.020"	
		4	Main Bearing	.030"	
		4	Main Bearing (7-hole)	STD	S/N 6D11074 & up on marine models &
		4	Main Bearing (7-hole)	.010"	S/N 6D17960 & up on all others
		4	Main Bearing (7-hole)	.020"	
		4	Main Bearing (7-hole)	.030"	
		1	T=		
4	4		Thrust Washer	STD	
4	4		Thrust Washer	.005"	
4	4	1	Thrust Washer	.010"	
		4	Thrust Washer	.005"	
		4	Thrust Washer Thrust Washer	.010"	
4	4	4	Thrust Washer Dowel	.010	
	4	4	Tillust Washer Dowel		
1		1	Cam Bushing Set	STD	
1			Cam Bushing Set	.010"	
1			Cam Bushing Set	.020"	
'	1		Cam Bushing Set	STD	
	1		Cam Bushing Set	.010"	
	1		Cam Bushing Set	.020"	
		1	Cam Bushing Set	STD	
		1	Cam Bushing Set	.010"	
		1	Cam Bushing Set	.020"	
	1				1
2	2	2	Cam Thrust Washer		
			•		
1	1	1	Idler Gear Bushing		
2	2	2	Idler Gear Thrust Washer		
6	8	12	Connecting Rod Bushing		Non-turbo trunk engines

GASKET SETS

3	4	6V	DESCRIPTION	NOTE
1			Overhaul Gasket Set	With cork R/C gasket #
	1		Overhaul Gasket Set	With cork R/C gasket #
		1	Overhaul Gasket Set	With cork R/C gasket #
		1	Overhaul Gasket Set Turbo Engine	With cork R/C gasket #
		1	Overhaul Gasket Set 5063-5396	
1		2	Cylinder Head Gasket Set	With cork R/C gasket
	1		Cylinder Head Gasket Set	With cork R/C gasket
1			Blower Installation Set	
	1		Blower Installation Set	
		1	Blower Installation Set	
IOTE: #	The above	sets do	not include crankshaft seals and contain	only basic cooler gaskets.

CRANKSHAFT SEALS

3	4	6V	DESCRIPTION		NOTE
1	1	1	Front Seal Lip Type	STD	
1	1	1	Front Seal Lip Type	O/S	
		1	Front Seal Lip Type	STD	2.87" OD military
1	1	1	Front Wear Sleeve		Use with O/S seal
1	1	1	Rear Seal Lip Type	STD	Single lip
1	1	1	Rear Seal Lip Type	O/S	Single lip
1	1	1	Rear Seal Lip Type	STD	Double lip
1	1	1	Rear Seal Directional Type	STD	RH engine rotation
1	1	1	Rear Seal Directional Type	O/S	RH engine rotation
1	1	1	Rear Wear Sleeve		Use with O/S seal

ROCKER COVER MOUNTING

3	4	6V	DESCRIPTION	NOTE
1		2	Cover Gasket - Cork	For stamped steel R/C
	1		Cover Gasket - Cork	For stamped steel R/C
1		2	Cover Gasket - Silcone	For cast aluminum R/C
	1		Cover Gasket - Silicone	For cast aluminum R/C
2	2	4	Isolator	For cast aluminum R/C
2	2	4	Isolator Washer	For cast aluminum R/C

CYLINDER HEAD COMPONENTS

4-VALVE

3	4	6 V	DESCRIPTION	NOTE
12	16	24	Valve Kit - 4-valve	Non-turbocharged
12	16	24	Valve Kit - 4-valve	Turbocharged - coded "U"
24	32	48	Valve Lock	
12	16	24	Valve Spring HIGH-LIFT	.135" wire diameter
12	16	24	Valve Spring LOW-LIFT	.148" wire diameter
12	16	24	Valve Spring Cap	
12	16	24	Valve Spring Seat	
12	16	24	Valve Guide Kit	Contains guide & seal
12	16	24	Valve Guide	
12	16	24	Valve Guide Seal	Metal with teflon lip
12	16	24	Valve Insert (seat) STD	Non-turbocharged
12	16	24	Valve Insert (seat) .010" O/S	Non-turbocharged
12	16	24	Valve Insert (seat) STD	Turbocharged
9	12	18	Push Rod	3
9	12	18	Push Rod Nut	
9	12	18	Push Rod Spring	< S/N 3D6127,4D8548,6D2708
9	12	18	Push Rod Spring	S/N 3D6128,4D8549,6D2709 & up
9	12	18	Push Rod Spring Retainer	5/14 050 120, 450049,052 109 & up
9	12	18	Push Rod Spring Seat Upper	
9	12	18	Push Rod Spring Seat Upper Push Rod Spring Seat Upper	
9	12	18	Push Rod Spring Seat Opper Push Rod Spring Seat Lower	
9	12	18		
9	12	18	Follower Assembly	Includes roller bushing 9 pin
3			Follower Roller Set Follower Guide	Includes roller, bushing & pin
	4	6		
6	8	12	Follower Guide Bolt	
6	8	12	Follower Guide Lockwasher	
3	4	6	Rocker Arm Valve - Left	
3	4	6	Rocker Arm Valve - Right	MODANES
3	4	6	Rocker Arm - Injector	MCB4355 repair kit available
3	4	6	Rocker Shaft	
6	8	12	Rocker Shaft Bracket Bolt	
3	4	6	Injector Tube Kit STD	
3	4	6	Injector Tube Kit O/S	Heavy nose
4	6	8	Water Nozzle Double Jet	
6	8	12	Fuel Connector	Flared type
6	8	12	Fuel Connector	Seal ring type
6	8	12	Fuel Connector Washer	
6	8	12	Fuel Jumper Line	Flared type
6	8	12	Fuel Jumper Line	Seal ring type
4	5	8	Exhaust Manifold Stud	
4	5	8	Exhaust Manifold Nut	
4	5	8	Exhaust Manifold Washer	
1		2	Exhaust Manifold Gasket	
	1		Exhaust Manifold Gasket	
1		2	Rocker Cover Gasket - Cork	For steel cover
	1		Rocker Cover Gasket - Cork	For steel cover
1		2	Rocker Cover Gasket - Silicone	For cast aluminum cover
	1		Rocker Cover Gasket - Silicone	For cast aluminum cover